



SAFETY DATA SHEET

I. Product identification:

CoproStrip™ H.pylori
Code: 41221

1.1. Trade name:

CoproStrip™ H.pylori
H.pylori Sample Diluent

1.2. Supplier or Manufacturer:

Savyon Diagnostics Ltd., 3 Habosem Street, Ashdod, 77610, Israel
Ph: +972.8.856.2920; Fax: +972.8.852.3176
E-Mail: info@savyondiagnosics.com

1.3. Kind of use for details, see insert:

In vitro Rapid Diagnostic Device for detection of H.pylori in faecal samples.
Use for H. pylori antigens extraction from stool samples.

II. Information on ingredients

Contains biological buffer, NaCl, proteins, surfactants and 0.095% of sodium azide as preservative.

III. Hazards identification

Not dangerous preparation (Directive 1999/45/EC).

IV. First aid measures

First-aid personnel: -
After inhalation: -
After skin contact: wash off with plenty of water
After eye contact: rinse out with plenty of water with the eyelid held wide open
After swallowing: make victim drink plenty of water, induce vomiting.

V. Fire-Fighting measures

Inflammable in contact with flames, not explosive.
Extinguishing media water, CO2
Special risks: N/A

VI. Accidental release measures

Clean up affected area.

VII.1, Handling

Good Laboratory Practices (disposal gloves)

VII. 2. Storage

Tightly closed to avoid leaking. Store in a dry place at +2°C to +30°C.

Avoid storage near to heat sources

Accessible only for authorized persons

VIII. Exposure controls

Specimen collection and preparation: all the specimens should be considered potentially hazardous and handled in the same manner as an infectious agent.

Use disposal gloves.

Respiratory protection: -

Eye protection: -

Hand protection: Disposal gloves Eye protection: -

Hand protection: Disposal gloves

IX. Physical and chemical properties

Form: Liquid

Colour: Transparent slightly yellowish

Odour: odourless

pH value: N/A

Melting point: N/A

Boiling point: N/A

Ignition temperature: N/A

Flash point: N/A

Explosion limits: N/A

Density: N/A

X. Stability and reactivity

Conditions to be avoided: strong heating, high moisture, direct contact with flames
Substances to be avoided: only use provided diluent for sample dilution.
Only use for H. pylori test

XI. Toxicological information

N/A

XII. Ecological information

The H. pylori test should be discarded in a proper biohazard container after testing
Do not allow to enter waters, waste water or soil

XIII. Disposal considerations

After testing, the H. pylori Test must be disposed of compliance with the respective national regulations.
Chemicals must be disposed of in compliance with the respective national regulations.

XIV. Transport information

Not dangerous preparations (Directive 1999/45/EC), transport regulations not required.

XV. Regulatory information

This product does not require special labelling, in accordance with the appropriate EC directives.

XVI. Other information

Contents and format of this Safety Data Sheet comply with the EC Concil Directive 2001/58/EC. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Savyon Diagnostics shall not be held liable for any damage resulting from handling or from contact with the above product.